




jimexs inc.
Bringing the world to your door!



Hardware - Cargo Control - Tool Boxes


2013-2014
www.jimexs.com

Sales Conditions

Minimum Order	\$50.00 minimum order if not, an extra \$5.00 handling fee will be added to your invoice.
Shipping Conditions	F.A.B. Our warehouse.
Return for Credit	All credit returns <u>must first be approved</u> by our inside sales staff and must have a Return Merchandise Authorisation number (RMA) before they are sent back. Products must be in their original packaging. All returns will be inspected by Jimexs inc. before issuing a credit. Note a 20% re-stocking charge will be applied.
Limited Warranty	The responsibility of Jimexs inc. is limited to the warranties offered by its suppliers. Jimexs inc. is not responsible for damages direct or indirect or indirect labour costs in the result of the replacement of a product. This limited warranty is the only one given by Jimexs inc. The products illustrated in this catalogue are not warrantied by Jimexs inc. If any information on application or installation are not clear or missing, it is the client's responsibility to request this information from Jimexs or its suppliers. No Jimexs inc. employees are authorized to give any kind of warranty on behalf of Jimexs inc. on the products illustrated in this catalogue or any products sold by Jimexs inc.

Payment Terms

Payment terms	Net, 30 days (upon credit approval)
Opening account	A request to open an account can be done by sending a request to our customer service only when there is a minimum buying potential of \$2500 per year and the cumulated purchases of current year are equivalent or higher than \$1000 . The credit limit will be establish by your company's credit and your buying potential.

1	Tool Boxes	
2-10	Locks	
11-13	Handles	
14-18	Hinges	
19-20	Latches and Bolts	
21	Drawer Slides	
22-24	Door Supports and Holders	
25-27	Cargo Control	
28	Adhesives and Sealants	
29-31	Rubber and Weatherstripping	
32	Mud Flaps, Floor Hardware	
33	Miscellaneous	
34	Ventilation and Heating	
35-39	Rivets	
39	Threaded Rods	



124-124



124-248



128-024

One-Door Tool Box with T-Handle

Aluminum 0.100", also available in 0.063"

Part	Depth	Height	Width
118-124	18"	18"	24"
118-136	18"	18"	36"
118-148	18"	18"	48"
118-160	18"	18"	60"
118-436	24"	18"	36"
118-448	24"	18"	48"
118-460	24"	18"	60"
124-124	24"	24"	24"
124-136	24"	24"	36"
124-148	24"	24"	48"
124-160	24"	24"	60"
124-172	24"	24"	72"
130-136	24"	30"	36"
130-148	24"	30"	48"
130-160	24"	30"	60"
130-172	24"	30"	72"
136-124	24"	36"	24"
136-136	24"	36"	36"
136-148	24"	36"	48"
136-160	24"	36"	60"
136-172	24"	36"	72"

Two-Door Tool Box with compression lock

Aluminum 0.100", also available in 0.063"

Part	Depth	Height	Width
118-236	18"	18"	36"
118-248	18"	18"	48"
118-260	18"	18"	60"
118-536	24"	18"	36"
118-548	24"	18"	48"
118-560	24"	18"	60"
124-236	24"	24"	36"
124-248	24"	24"	48"
124-260	24"	24"	60"
124-272	24"	24"	72"
130-236	24"	30"	36"
130-248	24"	30"	48"
130-260	24"	30"	60"
130-272	24"	30"	72"
136-236	24"	36"	36"
136-248	24"	36"	48"
136-260	24"	36"	60"
136-272	24"	36"	72"

Step Tool Box with T-Handle

Aluminum 0.100"

Part	Depth	Height	Width
128-012	28-1/2"	24"	12"
128-018	28-1/2"	24"	18"
128-024	28-1/2"	24"	24"



J-Boxs Tool Boxes' **custom design** are welcomed with quick lead time guaranteed.

Paddle handles

5.50" x 4.25"

Part	Finish	Specifications
225-101	Zinc	Locking CH501 with holes
225-102	Zinc	Locking CH502 with holes
225-103	Zinc	Locking CH503 with holes
225-191	Zinc	Non-Locking with holes
225-201	S/S	Locking CH501 with holes
225-202	S/S	Locking CH502 with holes
225-203	S/S	Locking CH503 with holes
225-291	S/S	Non-Locking with holes



225-201

Accessories

Part	Finish	Specifications
225-951	Plastic	Inside release knob - black
225-961	Rubber	Gasket
225-965	Neoprene	Gasket
230-531	Zinc	Striker for handle



225-951



225-961



230-531

Replacement key cylinders

Part	Finish	Specifications
235-101	Zinc	CH501
235-102	Zinc	CH502
235-103	Zinc	CH503
235-104	Zinc	CH504
235-105	Zinc	CH505



235-101

Special replacement key cylinder

Part	Finish	Specifications
237-101	Nickel	Slotted insert
237-111	Nickel	Hex insert
237-121	Nickel	Black knob
237-131	Nickel	Wing type



237-101



237-111



237-121



237-131



225-501



225-955



225-951



230-531



235-701



225-401

Junior paddle handles

4.75" x 3.625"

Part	Finish	Specifications
225-501	Zinc	Locking CH501 with holes
225-502	Zinc	Locking CH502 with holes
225-503	Zinc	Locking CH503 with holes
225-591	Zinc	Non-Locking with holes
225-521	S/S	Locking CH501 with holes
225-522	S/S	Locking CH502 with holes
225-523	S/S	Locking CH503 with holes
225-596	S/S	Non-Locking with holes

Accessories

Part	Finish	Specifications
225-951	Plastic	Inside release knob - black
225-955	Rubber	Gasket
230-531	Zinc	Striker for handle

Replacement key cylinders

Part	Finish	Specifications
235-701	Zinc	CH501
235-702	Zinc	CH502
235-703	Zinc	CH503
235-704	Zinc	CH504
235-705	Zinc	CH505

Tool Box Locks

3.25" x 3.25"

Part	Finish	Specifications
225-401	S/S	Locking CH501 with holes
225-491	S/S	Non-Locking with holes

T-Handles

4.88" x 4.75"

Part	Finish	Specifications
226-001	S/S	Locking CH501, gasket
226-002	S/S	Locking CH502, gasket
226-003	S/S	Locking CH503, gasket
226-101	S/S	Locking CH501, gasket, dust cover
226-102	S/S	Locking CH502, gasket, dust cover
226-103	S/S	Locking CH503, gasket, dust cover



226-101



226-199

Accessories

Part	Finish	Specifications
226-191	Chrome	Dust cap
226-195	Plastic	Dust cap
226-199	Neoprene	Gasket



226-191



226-195

Replacement key cylinders

Part	Finish	Specifications
235-201	Zinc	CH501
235-202	Zinc	CH502
235-203	Zinc	CH503
235-204	Zinc	CH504
235-205	Zinc	CH505



235-201

"Whale Tail" recessed T-handle

Part	Finish	Specifications
226-406	Chrome	Handle - key cylinder not included
226-451	-	Key cylinder J201 #18400DBJ201-09
226-452	-	Key cylinder J202 #18400DBJ202-09
226-453	-	Key cylinder J203 #18400DBJ203-09



226-406

Recessed D-handles

Complete kit with rods and guides

Part	Finish	Specifications
227-221	S/S	Handle 227-226, 2 rods 230-301 & 2 guides 230-501
227-241	S/S	Handle 227-246, 2 rods 230-301 & 2 guides 230-501



227-216,
227-226



227-236,
227-246

Recessed D-handles

Part	Finish	Specifications
227-216	S/S	Recessed handle - non-locking - 6-1/8" dia.
227-226	S/S	Recessed handle 2 pts - non-locking - 6-1/8" dia.
227-236	S/S	Recessed handle - Locking - 6-1/8" dia.
227-246	S/S	Recessed handle 2 pts - Locking - 6-1/8" dia.

Accessories


Part	Finish	Specifications
227-951	Rubber	Gasket for handles 227-216, 227-226
227-957	Rubber	Gasket for handles 227-236, 227-246



227-951



227-957



225-701

Tool Box paddle handles

4.37" x 3.27"

Part	Finish	Specifications
225-701	S/S	Locking CH501 with holes
225-791 *	S/S	Non-Locking with holes
225-819	Zinc	Rod guide

* Rod guide not included



235-301

Replacement key cylinders

Part	Finish	Specifications
235-301	Zinc	CH501
235-302	Zinc	CH502
235-303	Zinc	CH503
235-304	Zinc	CH504
235-305	Zinc	CH505
235-306	Zinc	CH506
235-307	Zinc	CH507
235-308	Zinc	CH508
235-309	Zinc	CH509
235-310	Zinc	CH510



225-851 - Front view



225-851 - Rear view

"RV" paddle handles

Part	Finish	Specifications
225-851	Chrome	3.47" x 4.28", Lockable
225-853	Black	3.47" x 4.28", Lockable
225-855	White	3.47" x 4.28", Lockable



225-301



225-457



Rotary paddle handle

Part	Finish	Specifications
225-301	CH-501	Locking CH501 with holes
224-457	-	Striker

Locking paddle handle - 2 pts

Complete kit with rods and bolts

Part	Finish	Key
224-801	S/S	CH501



224-801

Locking T-handle

Complete kit with rods and guides

Part	Finish	Specification
226-751	S/S	Complete kit
226-771	S/S	Center only
230-511	Zinc	Rod guide
230-201	Zinc	Rod



226-751

Rods

Part	Diameter	Length
230-101	1/4"	36"
230-201	5/16"	34"
230-221	5/16"	48"
230-301	3/8"	36"
230-311	3/8"	36"
230-321	3/8"	48"



230-101



230-201
230-221



230-301
230-321



230-311

Flush Bolts

Part	Finish	Specification
240-351	Zinc	45°, for 1/4" rod
240-353	Zinc	45°, for 3/8" rod
240-361	Zinc	30°, for 1/4" rod



240-351



240-353



230-361

Guides

Part	Specification
230-501	Rod guide, zinc
230-511	Rod guide, zinc



230-501



230-511

Deadbolt Locks

3 points

Part	Specification
224-921	Zinc, 48" rods, right
224-926	Zinc, 48" rods, left



224-921



228-421



228-423



228-425



228-431

Refrigeration handles

Part	Finish	Specification
228-421	Chrome	flush mount striker, non-locking, 4-1/2"
228-423	Chrome	flush mount striker, non-locking, 5-1/4"
228-425	Chrome	3/8" offset striker, non-locking, 6-3/4"

Dual refrigeration handle

Part	Finish	Specification
228-431	S/S	Locking, flush mount, 40" S/S bar



228-441



228-451, 228-461



228-491

Refrigeration door kits

Part	Finish	Specification
228-441*	Chrome	Ext. handle and striker included
228-451*	Chrome	Ext/Int. handle and striker included
228-461*	S/S	Ext/Int. handle and striker included
228-491	Plastic	Inside handle only

* Adjustable striker - 1/8" to 1/4"



228-461



228-463

High temperature handles

Part	Finish	Specification
228-481	S/S	5-1/2"
228-483	S/S	6-3/4"



222-621

Compression recessed locks

Kit, tube not included

Part	Finish	Specification
222-621	S/S	Lockable, 320mm x 165mm
222-641	S/S	Lockable, 358mm x 138mm

Cab locks

Part	Finish	Specifications
224-401	Zinc	Right side, 2" x 3.38"
224-406	Zinc	Left side, 2" x 3.38"
224-411	Zinc	Without inside release, right side, 2" x 3.38"
224-416	Zinc	Without inside release, left side, 2" x 3.38"
224-481	Zinc	With inside release, right side, 2.875" x 2.9375"
224-491	Zinc	Universal slamming, 5.375" x 3.875"
224-601	Zinc	With locking trigger, right side, 2.375" x 3.375"
224-606	Zinc	With locking trigger, left side, 2.375" x 3.375"



224-401



224-416



224-481



224-491



224-601

Off-Road vehicle hardware

Part	Finish	Specifications
228-201	Left	Cab Lock with Inside handle and striker
228-206	Right	Cab Lock with Inside handle and striker
223-001	Plastic	Push-Button Handle, reinforced with nylon, 7-1/4"
223-351	Plastic	Window Throw-Away, reinforced with nylon, 4"
202-201	Plastic	Window Hinge, reinforced with nylon, 2.68"



228-201



223-001



223-351



202-201



222-111

Compression Locks

Part	Finish	Specifications
222-111	S/S	22mm, 3 points - 3 rod guides
222-115	S/S	9' 6" tube, 22 mm
222-121	S/S	27mm, 2 points - 2 rod guides
222-123	S/S	27mm, 2 points - 3 rod guides
222-125	S/S	9' 6" tube, 27 mm
222-581	Aluminum	27mm, 2 points - 3 rod guides
222-589	Aluminum	10' tube, 27mm

Components for 222-111

Part	Finish	Specifications
222-940	S/S	Handle
222-941	S/S	Handle clip
222-942	S/S	Handle keeper
222-945	S/S	Rod guide
222-946	S/S	Cam
222-947	S/S	Keeper



222-121

Components for 222-121, 222-123

Part	Finish	Specifications
222-930	S/S	Handle
222-931	S/S	Handle clip
222-932	S/S	Handle keeper
222-935	S/S	Rod guide
222-936	S/S	Cam
222-937	S/S	Keeper



222-581

Components for 222-581

Part	Finish	Specifications
222-951	Aluminum	Right hand cam
222-952	Aluminum	Left hand cam
222-953	Aluminum	Keeper
222-954	Nylon	Lower bearing plate
222-955	Aluminum	Upper bearing plate
222-956	Aluminum	Handle
222-957	Aluminum	Handle keeper

Compression Locks

Part	Finish	Specifications
222-201	Steel	Complete Eberhard #1969 Anti-rack
222-451	Zinc	Dead bolt lock
222-583	Zinc	2 points, 4 rod guides
222-585	Zinc	27mm, 2 points, 3 rod guides

- Tube not included

Components for 222-201

Part	Eberhard	Specifications
222-203	1969-6X	Handle
222-205	1969-7X	Seal pin
222-207	1969-4X	Seal plate
222-209	1969-39	Bushing
222-211	1-1969-5	Handle clip
222-213	1969-10	Middle rod bracket cover - top
222-215	1969-11	Middle rod bracket cover - bottom
222-217	1969-8	Bearing cover - back plate - top
222-219	1969-9X	Bearing cover - back plate - bottom
222-221	1969-2X	Cam
222-223	1969-1	Keeper
222-225	5625-16	Bolt
222-227	5625-17	Locknut

Components for 222-583

Part	Finish	Specifications
222-985	Zinc	Handle
222-987	Zinc	Handle keeper

Cargo-Vise locks


Part	Finish	Specifications
222-051	Aluminum	Lockable, gray
222-801	-	Key cylinder #301
222-802	-	Key cylinder #302
222-803	-	Key cylinder #303
222-804	-	Key cylinder #304
222-805	-	Key cylinder #305
222-806	-	Key cylinder #306
222-807	-	Key cylinder #307
222-808	-	Key cylinder #308
222-809	-	Key cylinder #309
222-810	-	Key cylinder #310



222-583



222-585



222-201



222-451



222-985



222-987



222-051

Grab handles



221-106

Part	Finish	Specifications
221-101	Aluminum	13" O.D., 4 holes
221-106	Zinc	13" O.D., 4 holes



221-186

Part	Finish	Specifications
221-186	Zinc	13" O.D., 2 holes
221-196	Chrome	13" O.D., 2 holes



221-301

Part	Finish	Specifications
221-301	S/S	11-1/2" O.D., 4 holes
221-311	S/S	28" O.D., 4 holes



221-201



221-211

Part	Finish	Specifications
221-201	Chrome	7" C.-C., 4 holes
221-203	Caoutchouc	Joint pour 221-201
221-211	Chrome	5" C.-C., 4 holes



221-851

Part	Finish	Specifications
221-851	Plastic	8" C.-C., 2 holes



221-708

Part	Finish	Specifications
221-708	Zinc	5-1/2" C.-C., 4 holes

Grab handles

Part	Finish	Specifications
221-901	Black	6-1/4" C.-C., 7-1/2" O.D.
221-911	Black	9-3/4" C.-C., 11" O.D.



221-901

Part	Finish	Specifications
221-521	Black	18.31"



221-521

Part	Finish	Specifications
220-801	Plain steel	4", holes 3.90" C.-C.
220-806	Zinc	4", holes 3.90" C.-C.
220-821	S/S	4-5/16", holes 3.90" C.-C.




220-821

Part	Finish	Specifications
229-106	S/S	3-1/2" base, 4-5/16" handle
229-121	Zinc	4" base, 4" handle



229-106



229-121

L-Handles

Part	Finish	Specifications
220-501	Chrome	Locking, front mount, dust shutter, with gasket, 1-3/4" c.c., 3" shaft
220-503	Chrome	Locking, front mount, dust shutter, with gasket, 1-1/2" c.c., 3" shaft
220-507	Chrome	Non-locking, front mount, with gasket, 1-1/2" c.c., 3" shaft
220-509	Chrome	Non-locking, front mount, with gasket, 1-3/4" c.c., 3" shaft
220-905	Chrome	Interior handle, 4-1/8", for 5/16" shaft
220-911	Zinc	Inside handle with set screw, 5-1/2", for 5/16" shaft
223-101	Chrome	Locking, no dust shutter, 1-1/2" c.c., 4" shaft
223-103	Chrome	Locking, no dust shutter, 1-3/4" c.c., 4" shaft
223-105	Chrome	Locking, no dust shutter, free rotation when locked, 1-1/2" c.c., 4" shaft
223-111	Chrome	Locking, no dust shutter, blind mount, 1-13/16" c.c., 4" shaft
223-121	Chrome	Non-locking, 1-3/4" c.c., 4" shaft



220-503



220-507



220-905



223-101



223-103



223-105



223-111



223-121

T-Handles

Part	Finish	Specifications
223-201	Steel black	Locking, with dust cover, 1-1/2" c.c., 4" shaft
223-203	Chrome	Locking, no dust cover, 1-1/2" c.c., 4" shaft
223-205	Chrome	Locking, with dust cover, 1-1/2" c.c., 4" shaft
223-207	Chrome	Locking, no dust cover, 1-3/4" c.c., 4" shaft
223-221	Chrome	Non-locking, 1-1/2" c.c., 4" shaft



223-201



223-203



223-205



223-207



223-221

Latch

Part	Finish	Specifications
230-521	Zinc	Adjustable Latch with screw for 5/16" square shank



230-521

Steel piano hinges

Part	Length	Width	Thickness	Pin diameter	Rod material	Knuckles
210-105	72"	1-1/16"	0.042"	0.091"	Steel	1/2"
210-111	72"	1-1/2"	0.060"	0.120"	Steel	1/2"
210-201	72"	2"	0.060"	0.187"	Steel	1"
210-203	72"	2"	0.060"	0.187"	Brass	1"
210-205	72"	2"	0.072"	0.250"	Steel	1"
210-207	73.5"	2"	0.090"	0.250"	Brass	1-3/4"
210-301	72"	3"	0.072"	0.250"	Steel	1"
210-303	72"	3"	0.078"	0.250"	Brass	1"
210-501	72"	5"	0.125"	0.375"	Steel	2"

- Other models available. contact us for more details

Aluminum piano hinges

Part	Length	Width	Thickness	Pin diameter	Rod material	Knuckles
212-101	72"	1-1/2"	0.041"	0.091"	Aluminum	1/2"
212-201	72"	2"	0.064"	0.120"	Aluminum	1/2"
212-303	72"	3"	0.064"	0.125"	Aluminum	1/2"

- Other models available. contact us for more details


Stainless Steel piano hinges

Part	Length	Width	Thickness	Pin diameter	Rod material	Knuckles
213-101	72"	1-1/16"	0.035"	0.086"	S/S	1/2"
213-103	72"	1-1/2"	0.035"	0.086"	S/S	1/2"
213-105	72"	1-1/2"	0.060"	0.120"	S/S	1/2"
213-201	72"	2"	0.060"	0.120"	S/S	1/2"
213-205	72"	2"	0.060"	0.187"	S/S	1"
213-301	84"	3"	0.060"	0.187"	S/S	1"
213-303	96"	3"	0.072"	0.250"	S/S	1"

- Other models available. contact us for more details

Plain steel weld-on hinges

Part	Finish	Specifications
203-001	Aluminum	1/2" pin, 4,75" x 5,00" x 0,188"
203-201	Plain steel	3/8" pin, 4", type O
203-251	Plain steel	1/2" pin, 3-3/4", type P
203-261	Plain steel	1/2" pin, 4", type P
203-271	Plain steel	1/2" pin, 4-1/2", type P
203-283	Plain steel	1/2" pin, 2-1/2", Knurled Pin
203-701	Plain steel	3-1/4" with grease fitting
203-706	Plain steel	5-1/4" with grease fitting




203-001



202-201, 203-251
203-261, 203-271
203-283



203-701, 203-706





215-100
216-100



215-200
216-200

215 Series | Profile (Steel), Pin (Steel), Washers (Brass)

216 Series | Profile (Steel), Pin (Brass), Washers (Brass)

Steel Pin	Grease Fitting	Brass Pin	Grease Fitting	Dimensions		Box Qty.
215-101	-	216-101	-	40 mm	1-9/16"	20
215-104	-	216-104	-	50 mm	2"	20
215-109	-	216-109	-	60 mm	2-3/8"	20
215-112	-	216-112	-	70 mm	2-3/4"	20
215-117	215-217	216-117	216-217	80 mm	3-3/16"	20
215-120	215-220	216-120	216-220	100 mm	4"	20
215-125	215-225	216-125	216-225	120 mm	4-3/4"	20
215-128	215-228	216-128	216-228	135 mm	5-1/4"	10
215-133	215-233	216-133	216-233	150 mm	6"	10
215-136	215-236	216-136	216-236	180 mm	7"	10
215-141	215-241	216-141	216-241	200 mm	8"	10
-	215-244	-	-	260 mm	10"	10




218-100



218-200

218 Series | Profile(S/S), Pin(S/S), Washers(S/S)

S/S 304	Dimensions		Box Qty.
218-109	60 mm	2-3/8"	20
218-117	80 mm	3-3/16"	20
218-120	100 mm	4"	20
218-125	120 mm	4-3/4"	20
218-133	150 mm	6"	10
218-136	180 mm	7"	10
218-141	200 mm	8"	10



mm	Dimension (")	A	B	C	D	I
260	10"	28	32	129	19	-
200	8"	23	28,5	98,5	16	-
180	7"	20	25	88,6	14	-
150	6"	20	25	73,6	13	-
135	5-1/4"	18	22	66,3	12	-
120	4-3/4"	16	20	58,9	11	-
100	4"	16	20	48,9	10	-
80	3-3/16"	13	15,5	39,1	8	-
70	2-3/4"	11,5	13,5	34,1	6	-
60	2-3/8"	10	12	29	6	-
50	2"	8	9,5	24	5	-
40	1-9/16"	8	9,5	19	5	-

915 Series | Profile (Steel), Pin (Steel), Washers (Brass)

916 Series | Profile (Steel), Pin (Brass), Washers (Brass)


Steel Pin	Grease Fitting	Brass Pin	Grease Fitting	Dimensions		Box Qty.
915-101	-	916-101	-	40 mm	1-9/16"	50
915-104	-	916-104	-	50 mm	2"	50
915-109	-	916-109	-	60 mm	2-3/8"	50
915-112	-	916-112	-	70 mm	2-3/4"	25
915-117	915-217	916-117	916-217	80 mm	3-3/16"	25
915-120	915-220	916-120	916-220	100 mm	4"	25
915-125	915-225	916-125	916-225	120 mm	4-3/4"	25
915-128	915-228	916-128	916-228	135 mm	5-1/4"	25
915-133	915-233	916-133	916-233	150 mm	6"	25
915-136	915-236	916-136	916-236	180 mm	7"	25
915-141	915-241	916-141	916-241	200 mm	8"	25
915-144	915-244	-	-	260 mm	10-1/4"	25



917 Series | Profile(Aluminum), Pin(S/S), Washers(S/S)

918 Series | Profile(S/S), Pin(S/S), Washers(S/S)

Aluminum	Grease Fitting	S/S 304	Dimensions		Box Qty.
917-109	-	-	60 mm	2-3/8"	50
917-117	917-217	918-117	80 mm	3-3/16"	25
917-120	917-220	918-120	100 mm	4"	25
917-125	917-225	918-125	120 mm	4-3/4"	25
917-133	917-233	918-133	150 mm	6"	25
917-136	917-236	918-136	180 mm	7"	25
917-141	917-241	918-141	200 mm	8"	25



mm	Dimension (")	A	B	C	D	I
260	10"	28	32	129	19	72
200	8"	23	29	98	14	43
180	7"	20	25	88	13	40
150	6"	20	25	73	13	35
135	5-1/4"	18	22	65,5	10	35
120	4-3/4"	16	20	58,5	9	30
100	4"	16	20	48,5	7	30
80	3-3/16"	13	16	38,8	6	22
70	2-3/4"	11,5	13,5	33,8	5,5	20
60	2-3/8"	10	12	29	6	20
50	2"	8	10	24	5	15
40	1-9/16"	8	10	19	5	15



202-120



202-211



202-221



202-231



202-241



202-251, 202-253
202-255, 202-257



202-261, 202-265



202-301



204-508



204-801



204-806



204-821



204-826



204-841



204-846

Stainless Steel hinges

Part	Finish	Specifications
202-120	S/S 304	4.75"
202-211	S/S 304	2.36" x 2.32", 4mm thickness
202-221	S/S 304	4.13"
202-231	S/S 304	4.50"
202-241	S/S 304	4.25"
202-251	S/S 304	3.15", square holes
202-253	S/S 304	3.15", square holes
202-255	S/S 304	4.92", square holes
202-257	S/S 304	4.92", square holes
202-261	S/S 304	3.50", square holes
202-265	S/S 304	5.00", square holes
202-301	S/S 304	5.50"

Stainless Steel Strap Hinge

Part	Finish	Specifications
204-508	S/S 304	8.2" x 2"

Stainless Steel Heavy Duty Hinges

Part	Finish	Specifications
204-801	S/S 304	259mm x 81mm, standard butt
204-806	S/S 304	259mm x 81mm, square butt
204-821	S/S 304	321mm x 85mm, standard butt
204-826	S/S 304	321mm x 85mm, square butt
204-841	S/S 304	327mm x 85mm, standard butt
204-846	S/S 304	327mm x 85mm, square butt

Aluminum strap hinges

Part	Finish	Specifications
204-404	Aluminum	3.75"
204-418	Aluminum	8", 3 holes butt, 270°
204-412	Aluminum	12", 270°
204-728	Aluminum	16"



204-404



204-418



204-412



204-728

Zinc plated strap hinges

Part	Finish	Specifications
204-108	Zinc	8", standard butt
204-112	Zinc	12", standard butt
204-116	Zinc	16", standard butt
204-308	Zinc	8", 3 holes butt
204-312	Zinc	12", 3 holes butt
204-316	Zinc	16", 3 holes butt



204-108



204-308

Zinc plated hinges

Part	Finish	Specifications
202-216	Zinc	2.36" x 2.32", 4mm thickness
204-901	Zinc	5", right, Eberhard 5867-E1
202-601	Zinc	8.75", heavy-duty, Eberhard 5884



202-216



204-901



202-601



Latches

Part	Finish	Specifications
240-101	Zinc	1/2" pin, 6.300" O.D.
240-103	S/S	1/2" pin, 6.300" O.D.
240-106	Zinc	1/2" pin, 4" handle - 6.30"
240-111	Zinc	1/2" pin, 8.750" O.D.
240-121	Zinc	5/8" pin, 9.500" O.D.
240-151	Zinc	3/8" pin, 5.125" O.D.
240-306	Zinc	2" x 1.62", 4 holes



Hood latches

Part	Finish	Specifications
242-101	Rubber + zinc	2-1/2"
242-106	Rubber + S/S	2-1/2"
242-111	Rubber + zinc	3-1/2"
242-116	Rubber + S/S	3-1/2"
242-131	Rubber + zinc	5"
242-136	Rubber + S/S	5"
242-141	Rubber + zinc	6"
242-151	Rubber + zinc	8"
242-181	Steel, black	-
242-191	Steel, black	-



Catch & striker

Part	Finish	Specifications
241-101	Zinc	Straight base
241-401	Zinc	Striker



Tie Downs

Part	Finish	Specifications
410-021	Zinc	400 lbs., ins. dia. 1-1/2"
410-091	Zinc	1200 lbs., 4"
410-101	Zinc	1200 lbs., 3-1/2" x 5"
410-106	Zinc	1200 lbs., 3-1/2" x 5"
410-111	Zinc	2000 lbs., 3-3/4" x 4"
410-121	Zinc	5000 lbs., 4-1/2" x 4-7/8"
410-131	Zinc	6000 lbs., 6-1/4" dia.



Forged D-ring with bracket

Part	Finish	Specifications
410-201	Zinc Plated	1/2", W.L.L. 3 666 lbs., B.S. 11 000 lbs.
410-203	Plain steel	1/2", W.L.L. 3 666 lbs., B.S. 11 000 lbs.
410-205	Plain steel	5/8", W.L.L. 6 000 lbs., B.S. 18 000 lbs.
410-207	Plain steel	3/4", W.L.L. 8 833 lbs., B.S. 26 500 lbs.
410-211	Plain steel	1", W.L.L. 15 586 lbs., B.S. 46 760 lbs.
410-213	Plain steel	1", W.L.L. 15 333 lbs., B.S. 46 000 lbs.

Adjustable Latches

Part	Finish	Specifications
243-101	Zinc	3.5", locking
243-106	S/S	3.5", locking
243-111	Zinc	3.5", non-locking
243-116	S/S	3.5", non-locking
243-141	Zinc	4.7", locking
243-146	S/S	4.7", locking
243-171	Zinc	6.4", locking
243-176	S/S	6.4", locking



243-101, 243-106



243-111, 243-116



243-141, 243-146



243-171, 243-176

Strikers for adjustable latches

Part	Finish	Specifications
243-121	Zinc	Striker for 3.5"
243-126	S/S	Striker for 3.5"
243-131	Zinc	Striker for 3.5"
243-136	S/S	Striker for 3.5"
243-161	Zinc	Striker for 4.7"
243-166	S/S	Striker for 4.7"
243-191	Zinc	Striker for 6.4"
243-196	S/S	Striker for 6.4"



243-121
243-126



243-131
243-136



243-161
243-166



243-191
243-196

Over center latches

Part	Finish	Specifications
240-201	Zinc	9-3/8", ext. 10-3/8" max
240-221	Zinc	8-3/4", ext. 9-1/2" max



240-201



240-221

J-Hooks

Part	Finish	Specifications
410-306	Zinc	3", 2 holes 0.26" dia.
410-321	Zinc	2", 2 holes 0.20" dia.



410-306



410-321

Rack Fastener

Part	Finish	Specifications
203-801	Zinc	Left, 3"
203-806	Zinc	Right, 3"
203-821	Zinc	Eye



203-801




203-821

Tarp Straps

Part	Finish	Specifications
465-100	Zinc	Replacement S-hooks
465-109	Rubber	9"
465-115	Rubber	15"
465-121	Rubber	21"
465-131	Rubber	31"
465-141	Rubber	41"



465 Serie



323-1XX, detachable



323-2XX, detachable



323-3XX, detachable



323-5XX



323-6XX - Lock'in, Lock'out

Full Extension Slides

Part	Lock'in, Lock'out Part	Length	A	B	Capacity
323-110	-	10"	1.85"	0.500"	100 lbs
323-112	-	12"	1.85"	0.500"	100 lbs
323-114	-	14"	1.85"	0.500"	100 lbs
323-116	-	16"	1.85"	0.500"	100 lbs
323-118	-	18"	1.85"	0.500"	100 lbs
323-120	-	20"	1.85"	0.500"	100 lbs
323-122	-	22"	1.85"	0.500"	100 lbs
323-124	-	24"	1.85"	0.500"	100 lbs
323-126	-	26"	1.85"	0.500"	100 lbs
323-128	-	28"	1.85"	0.500"	100 lbs
323-210	-	10"	1.95"	0.500"	150 lbs
323-212	-	12"	1.95"	0.500"	150 lbs
323-214	-	14"	1.95"	0.500"	150 lbs
323-216	-	16"	1.95"	0.500"	150 lbs
323-218	-	18"	1.95"	0.500"	150 lbs
323-220	-	20"	1.95"	0.500"	150 lbs
323-222	-	22"	1.95"	0.500"	150 lbs
323-224	-	24"	1.95"	0.500"	150 lbs
323-310	-	10"	2.09"	0.750"	250 lbs
323-312	-	12"	2.09"	0.750"	250 lbs
323-314	-	14"	2.09"	0.750"	250 lbs
323-316	-	16"	2.09"	0.750"	250 lbs
323-318	-	18"	2.09"	0.750"	250 lbs
323-320	-	20"	2.09"	0.750"	250 lbs
323-322	-	22"	2.09"	0.750"	250 lbs
323-324	-	24"	2.09"	0.750"	250 lbs
323-326	-	26"	2.09"	0.750"	250 lbs
323-328	-	28"	2.09"	0.750"	250 lbs
323-330	-	30"	2.09"	0.750"	250 lbs
323-332	-	32"	2.09"	0.750"	250 lbs
323-334	-	34"	2.09"	0.750"	250 lbs
323-336	-	36"	2.09"	0.750"	250 lbs
323-508	-	8"	3.00"	0.750"	up to 500 lbs
323-510	-	10"	3.00"	0.750"	up to 500 lbs
323-512	323-612	12"	3.00"	0.750"	up to 500 lbs
323-514	323-614	14"	3.00"	0.750"	up to 500 lbs
323-516	323-616	16"	3.00"	0.750"	up to 500 lbs
323-518	323-618	18"	3.00"	0.750"	up to 500 lbs
323-520	323-620	20"	3.00"	0.750"	up to 500 lbs
323-522	323-622	22"	3.00"	0.750"	up to 500 lbs
323-524	323-624	24"	3.00"	0.750"	up to 500 lbs
323-526	323-626	26"	3.00"	0.750"	up to 500 lbs
323-528	323-628	28"	3.00"	0.750"	up to 500 lbs
323-530	-	30"	3.00"	0.750"	up to 500 lbs
323-532	-	32"	3.00"	0.750"	up to 500 lbs
323-534	-	34"	3.00"	0.750"	up to 500 lbs
323-536	323-636	36"	3.00"	0.750"	up to 500 lbs
323-538	-	38"	3.00"	0.750"	up to 500 lbs
323-540	-	40"	3.00"	0.750"	up to 500 lbs
323-542	-	42"	3.00"	0.750"	up to 500 lbs
323-548	323-648	48"	3.00"	0.750"	up to 500 lbs
323-560	-	60"	3.00"	0.750"	up to 500 lbs

Door holders

Part	Finish	Specifications
251-111	Zinc	4" kit
251-121	S/S	4" kit
251-401	S/S	Heavy duty 4" kit
251-131	Zinc	6" kit
251-141	S/S	6" kit
251-145	Zinc	10" kit
251-148	S/S	10" kit
251-151	Zinc	Receptacle only with spring
251-161	S/S	Receptacle only with spring



251-121



251-401

Part	Finish	Specifications
251-201	Zinc	1.5", 1.25" C.-C.
251-206	S/S	1.5", 1.25" C.-C.
251-211	Zinc	2.5", 1.25" C.-C.
251-216	S/S	2.5", 1.25" C.-C.
251-221	Zinc	3.5", 1.25" C.-C.
251-226	S/S	3.5", 1.25" C.-C.
251-231	Zinc	4.5", 1.25" C.-C.
251-236	S/S	4.5", 1.25" C.-C.
251-241	Nylon	White receptacle
251-243	Nylon	Black receptacle



251-221



251-241



251-243

Part	Finish	Specifications
251-311	Aluminium	2-1/8", male
251-321	Aluminium	2-5/8", male
251-351	Aluminium	3-3/8", Receptacle



251-311, 251-321



251-351

Part	Finish	Specifications
254-151	Rubber+Plast	Kit - 2 pieces



254-151

Part	Finish	Specifications
254-501	Alum. alloy	3", gaskets included



254-501

Part	Finish	Specifications
251-171	Zinc	Kit - 3 pieces
251-181	Plain steel	-



251-171



251-181

Part	Finish	Specifications
251-501	S/S	Door retainer



251-501

Gas springs

Part	Force	Dimension	Stroke	End Fitting
281-022	22 lbs (98N)	9.8" (250mm) - 6.7" (170mm)	3.1" (80mm)	Plastic, 10 mm
281-050	50 lbs (222N)	9.8" (250mm) - 6.7" (170mm)	3.1" (80mm)	Plastic, 10 mm
281-100	100 lbs (445N)	9.8" (250mm) - 6.7" (170mm)	3.1" (80mm)	Plastic, 10 mm
Part	Force	Dimension	Stroke	End Fitting
283-013	13 lbs (58N)	12.2" (310mm) - 8.3" (210mm)	3.9" (100mm)	Plastic, 10 mm
283-035	35 lbs (156N)	12.2" (310mm) - 8.3" (210mm)	3.9" (100mm)	Plastic, 10 mm
283-065	65 lbs (289N)	12.2" (310mm) - 8.3" (210mm)	3.9" (100mm)	Plastic, 10 mm
283-100	100 lbs (445N)	12.2" (310mm) - 8.3" (210mm)	3.9" (100mm)	Plastic, 10 mm
Part	Force	Dimension	Stroke	End Fitting
285-013	13 lbs (58N)	12.5" (317mm) - 8.25" (209,5mm)	4.25" (108mm)	Plastic, 10 mm
285-030	30 lbs (142N)	12.5" (317mm) - 8.25" (209,5mm)	4.25" (108mm)	Plastic, 10 mm
285-060	60 lbs (278N)	12.5" (317mm) - 8.25" (209,5mm)	4.25" (108mm)	Plastic, 10 mm
285-090	90 lbs (400N)	12.5" (317mm) - 8.25" (209,5mm)	4.25" (108mm)	Plastic, 10 mm
285-120	120 lbs (545N)	12.5" (317mm) - 8.25" (209,5mm)	4.25" (108mm)	Plastic, 10 mm
Part	Force	Dimension	Stroke	End Fitting
287-035	35 lbs (156N)	17.1" (435mm) - 10.8" (275mm)	6.3" (160mm)	Plastic, 10 mm
287-045	45 lbs (200N)	17.1" (435mm) - 10.8" (275mm)	6.3" (160mm)	Plastic, 10 mm
287-060	60 lbs (267N)	17.1" (435mm) - 10.8" (275mm)	6.3" (160mm)	Plastic, 10 mm
287-080	80 lbs (356N)	17.1" (435mm) - 10.8" (275mm)	6.3" (160mm)	Plastic, 10 mm
287-097	97 lbs (432N)	17.1" (435mm) - 10.8" (275mm)	6.3" (160mm)	Plastic, 10 mm
287-135	135 lbs (600N)	17.1" (435mm) - 10.8" (275mm)	6.3" (160mm)	Plastic, 10 mm
Part	Force	Dimension	Stroke	End Fitting
289-030	30 lbs (142N)	18" (457mm) - 10.5" (267mm)	7.5" (190,5mm)	Plastic, 10 mm
289-060	60 lbs (278N)	18" (457mm) - 10.5" (267mm)	7.5" (190,5mm)	Plastic, 10 mm
289-090	90 lbs (400N)	18" (457mm) - 10.5" (267mm)	7.5" (190,5mm)	Plastic, 10 mm
289-120	120 lbs (545N)	18" (457mm) - 10.5" (267mm)	7.5" (190,5mm)	Plastic, 10 mm
Part	Force	Dimension	Stroke	End Fitting
293-020	20 lbs (89N)	19.7" (500mm) - 11.8" (300mm)	7.9" (200mm)	Plastic, 10 mm
293-030	30 lbs (133N)	19.7" (500mm) - 11.8" (300mm)	7.9" (200mm)	Plastic, 10 mm
293-060	60 lbs (267N)	19.7" (500mm) - 11.8" (300mm)	7.9" (200mm)	Plastic, 10 mm
293-100	100 lbs (445N)	19.7" (500mm) - 11.8" (300mm)	7.9" (200mm)	Plastic, 10 mm
Part	Force	Dimension	Stroke	End Fitting
291-050	50 lbs (225N)	20.6" (523mm) - 12.5" (320mm)	8" (203mm)	Steel, 13 mm
291-075	75 lbs (335N)	20.6" (523mm) - 12.5" (320mm)	8" (203mm)	Steel, 13 mm
291-100	100 lbs (445N)	20.6" (523mm) - 12.5" (320mm)	8" (203mm)	Steel, 13 mm
291-150	150 lbs (665N)	20.6" (523mm) - 12.5" (320mm)	8" (203mm)	Steel, 13 mm
291-200	200 lbs (890N)	20.6" (523mm) - 12.5" (320mm)	8" (203mm)	Steel, 13 mm
291-250	250 lbs (1110N)	20.6" (523mm) - 12.5" (320mm)	8" (203mm)	Steel, 13 mm
Part	Force	Dimension	Stroke	End Fitting
295-087	87 lbs (385N)	26.34" (669mm) - 16.10" (409mm)	10.24" (260mm)	Plastic, 10 mm
295-120	120 lbs (534N)	26.34" (669mm) - 16.10" (409mm)	10.24" (260mm)	Plastic, 10 mm
Part	Force	Dimension	Stroke	End Fitting
297-050	50 lbs (225N)	27.875" (710mm) - 16.875" (430mm)	11" (279mm)	Steel, 13 mm
297-075	75 lbs (335N)	27.875" (710mm) - 16.875" (430mm)	11" (279mm)	Steel, 13 mm
297-100	100 lbs (445N)	27.875" (710mm) - 16.875" (430mm)	11" (279mm)	Steel, 13 mm
297-150	150 lbs (665N)	27.875" (710mm) - 16.875" (430mm)	11" (279mm)	Steel, 13 mm
297-200	200 lbs (890N)	27.875" (710mm) - 16.875" (430mm)	11" (279mm)	Steel, 13 mm
297-250	250 lbs (1110N)	27.875" (710mm) - 16.875" (430mm)	11" (279mm)	Steel, 13 mm
Part	Force	Dimension	Stroke	End Fitting
298-056	56 lbs (249N)	35.68" (906mm) - 19.58" (497mm)	16.10" (409mm)	Steel, 13 mm
298-079	79 lbs (351N)	35.68" (906mm) - 19.58" (497mm)	16.10" (409mm)	Steel, 13 mm
298-090	90 lbs (400N)	35.68" (906mm) - 19.58" (497mm)	16.10" (409mm)	Steel, 13 mm
298-203	203 lbs (902N)	35.68" (906mm) - 19.58" (497mm)	16.10" (409mm)	Steel, 13 mm



Telescopic props

Part	Finish	Specifications
261-108	Zinc	8"
261-110	Zinc	10"
261-112	Zinc	12"
261-116	Zinc	16"
261-118	Zinc	18"



261-112

Door Checks

Part	Finish	Specifications
260-101	S/S	11", 15 lbs.
260-151	S/S	13" with 11" arm, 30 lbs.



260-101



260-151

Ball Studs

Part	Finish	Specifications
299-036	Zinc	10 mm
299-017	Zinc	13 mm



299-036



299-017

Brackets

Part	Finish	Specifications
299-101	Zinc	10 mm stud
299-111	Zinc	10 mm stud
299-118	Zinc	10 mm stud, reversible
299-121	Zinc	10 mm stud
299-131	Zinc	10 mm stud
299-141	Zinc	10 mm stud
299-146	S/S	10 mm stud
299-151	Zinc	10 mm stud
299-166	S/S	10 mm stud



299-101



299-111



299-118



299-121



299-131



299-141



299-146



299-151



299-166

End Fittings

Part	Finish	Specifications
299-001	Plastic	10mm receptacle
299-011	Zinc	13mm kit with clip
299-013	Zinc	13mm receptacle
299-015	Zinc	13mm safety clip
299-041	Steel	10mm receptacle



299-001



299-011



299-013



299-015



299-041



413-260

General Utility Chain

Hot galvanized of chain reduces W.L.L. by 20%

Self colored	Galvanized	Zinc	Diameter	Inside diameter	W.L.L.
413-260	413-270	413-280	1/8"	0.25" x 0.69"	325 lbs.
413-261	413-271	413-281	3/16"	0.33" x 0.97"	630 lbs.
413-262	413-272	413-282	1/4"	0.43" x 1.14"	1100 lbs.
413-263	413-273	413-283	5/16"	0.50" x 1.24"	1900 lbs.
413-264	413-274	413-284	3/8"	0.57" x 1.35"	2650 lbs.
413-265	413-275	413-285	1/2"	0.75" x 1.70"	4500 lbs.
413-266	413-276	413-286	5/8"	0.89" x 2.60"	6900 lbs.
413-267	413-277	413-287	3/4"	1.10" x 2.63"	10600 lbs.



413-291

Transport Chain

Grade 70

Yellow Dichromate	Diameter	Inside diameter	W.L.L.
413-291	1/4"	0.50" x 1.00"	3150 lbs.
413-293	5/16"	0.48" x 1.12"	4700 lbs.
413-295	3/8"	0.57" x 1.20"	6600 lbs.
413-299	1/2"	0.75" x 1.70"	11300 lbs.



413-201

Clevis Grab Hook

Grade 70

Part	Chain type	W.L.L.
413-201	1/4"	3150 lbs.
413-203	5/16"	4700 lbs.
413-205	3/8"	6600 lbs.
413-209	1/2"	11300 lbs.



413-211



413-221

Clevis Slip Hook

Grade 70

Without latch	With latch	Chain type	W.L.L.
413-211	413-221	1/4"	2750 lbs.
413-213	413-223	5/16"	4300 lbs.
413-215	413-225	3/8"	5250 lbs.
413-217	413-227	7/16"	6600 lbs.
413-219	413-229	1/2"	9000 lbs.



413-191



413-193

Eye Slip Tow Hook

Part	Eye diameter	Opening	W.L.L.
413-191	5/8"	1/2"	800 lbs.
413-193	3/4"	5/8"	1500 lbs.

Eye slips hook with latch

Alloy

Part	W.L.L
413-171	1500 lbs.
413-173	2000 lbs.
413-175	3000 lbs.
413-177	4000 lbs.
413-179	6000 lbs.
413-181	9000 lbs.
413-183	14000 lbs.
413-185	22000 lbs.
413-187	30000 lbs.



413-171

Lap links

Zinc

Part	Chain Dia. x I.D.
413-400	3/16" x 1"
413-401	1/4" x 1-1/2"
413-403	5/16" x 1-1/2"
413-405	3/8" x 2"
413-409	1/2" x 2-1/2"



413-400

Quick links

Zinc	Breaking strength	S/S	Breaking strength	Size (inch)	Size (mm)
413-421	200 lbs.	413-435	450 lbs.	1/8"	3 mm
413-423	600 lbs.	413-437	1200 lbs.	3/16"	5 mm
413-425	1000 lbs.	413-439	1400 lbs.	1/4"	6 mm
413-427	1700 lbs.	413-441	2400 lbs.	5/16"	8 mm
413-429	2100 lbs.	413-443	3200 lbs.	3/8"	10 mm
413-431	2600 lbs.	-	-	7/16"	11 mm
413-433	3300 lbs.	413-445	5500 lbs.	1/2"	12 mm



413-421

Screw Pin Anchor Shackles

Galvanized steel

Non rated	Rated	Size	W.L.L
414-501	414-521	3/16"	660 lbs.
414-503	414-523	1/4"	1000 lbs.
414-505	414-525	5/16"	1500 lbs.
414-507	414-527	3/8"	2000 lbs.
414-509	414-529	7/16"	3000 lbs.
414-511	414-531	1/2"	4000 lbs.
414-513	414-533	5/8"	6500 lbs.
414-515	414-535	3/4"	9500 lbs.
414-517	414-537	7/8"	13000 lbs.
414-519	414-539	1"	17000 lbs.
-	414-541	1-1/8"	19000 lbs.
-	414-543	1-1/4"	24000 lbs.
-	414-545	1-3/8"	27000 lbs.
-	414-547	1-1/2"	34000 lbs.
-	414-549	1-3/4"	50000 lbs.



414-501



418-101



418-111



418-121



418-131



400-109



400-111

Quick Pins

Round, zinc

Part	Specifications
418-101	1/4" x 1-3/8"
418-102	1/4" x 1-3/4"
418-103	5/16" x 1-3/8"
418-104	5/16" x 1-3/4"
418-105	3/8" x 1-3/8"

Quick Pins

Square, zinc

Part	Specifications
418-111	1/4" x 2-1/2"
418-112	5/16" x 2-1/2"
418-113	3/8" x 2-1/4"
418-114	3/8" x 2-1/2"

Lynch Pins

Round, zinc

Part	Specifications
418-121	3/16" x 1-9/16", 1-1/4" usable
418-122	1/4" x 1-9/16", 1-1/4" usable
418-123	5/16" x 1-9/16", 1-1/4" usable
418-124	3/8" x 1-3/4", 1-7/16" usable
418-125	7/16" x 1-9/16", 1-11/32" usable
418-126	7/16" x 1-3/4", 1-1/2" usable

Hitch pins

Zinc

Part	Specifications
418-131	1/2" x 4-1/4"
418-132	5/8" x 4-1/4"
418-134	3/4" x 4-1/4"
418-135	3/4" x 6-1/4"
418-136	7/8" x 6-1/4"
418-137	1" x 6-1/4"
418-138	1-1/8" x 6-1/4"
418-139	1-1/4" x 6-1/4"

Trailer Coupling

SAE Class II

Part	Finish	Specifications
400-109	Zinc	2" x 2-1/2", 3500 lbs
400-111	Zinc	2" x 3", 3500 lbs

Adhesives/sealants Polyurethane

Part	Color	Specifications
575-751	White	75-AM, High performance, 30 un. / box
575-752	Aluminum gray	75-AM, High performance, 30 un. / box
575-753	Black	75-AM, High performance, 30 un. / box
575-754	Colonial White	75-AM, High performance, 30 un. / box
575-758*	Yellow bus	75-AM, High performance, 30 un. / box
575-251	White	25-AM, Fast cure, 36 un. / box
575-252	Aluminum gray	25-AM, Fast cure, 36 un. / box
575-253*	Black	25-AM, Fast cure, 36 un. / box

* Minimum order, 1 box



575-751



575-251

Adhesives/sealants Silicone

Part	Color	Specifications
575-731	White	73-A, Silicone 100%, 24 un. / box
575-732	Aluminum gray	73-A, Silicone 100%, 24 un. / box
575-733	Black	73-A, Silicone 100%, 24 un. / box
575-735	Clear	73-A, Silicone 100%, 24 un. / box



575-731

Adhesives/sealants Neoprene

Part	Color	Specifications
575-651	White	65-A, High capacity, 36 un. / box
575-652	Aluminum gray	65-A, High capacity, 36 un. / box
575-653*	Black	65-A, High capacity, 36 un. / box
580-122	Aluminum gray	65-H, Durable for roof, 4 un. / box

* Minimum order, 1 box



580-122



575-651

Adhesives/sealants Butyl

Part	Color	Specifications
575-501*	White	501-A, General purpose, 36 un. / box
575-502*	Gray	501-A, General purpose, 36 un. / box
575-503	Black	501-A, General purpose, 36 un. / box
590-101*	Aluminum gray	For roofs, 4" x 50' , 8 rl. / box
590-106	White	For roofs, 4" x 50' , 8 rl. / box
590-201*	Gris	Butyl in rolls, 1/16" x 1/4" x 100' , 16 rl. / box
590-206*	Gris	Butyl in rolls, 1/16" x 1/2" x 100' , 16 rl. / box
590-211	Gris	Butyl in rolls, 1/16" x 3/4" x 100' , 16 rl. / box
590-216	Gris	Butyl in rolls, 1/16" x 1" x 100' , 12 rl. / box
590-251*	Gris	Butyl in rolls, 1/8" x 1/2" x 60' , 20 rl. / box
590-256	Gris	Butyl in rolls, 1/8" x 5/8" x 65' , 16 rl. / box
590-261*	Gris	Butyl in rolls, 1/8" x 3/4" x 60' , 16 rl. / box
590-266*	Gris	Butyl in rolls, 1/8" x 1" x 65' , 16 rl. / box
590-361	Black	Butyl in rolls, 1/8" x 3/4" x 60' , 16 rl. / box

* Minimum order, 1 box



575-501




590-101




590-201


Rubber Fenders Edge Trims




653-101



653-111




653-121



653-141

Rubber fenders

Part	Specifications
653-101	52 feet - 1/4" thick
653-111	100 feet - 3/16" thick
653-121	50 feet - 1/4" thick
653-141	100 feet - 3/16" thick




652-601


Edge trim

Part	Specifications
652-601	Double lips, 1/8"

- More models available, visit www.jimexs.com



652-101




652-201


Edge trims with bulb

Part	Specifications
652-101	Bulb on side, 1/8"
652-201	Bulb on side, 1/4"
652-806	Bulb on top, 1/8"
652-811	Bulb on top (small), 1/8"

- More models available, visit www.jimexs.com



652-806



652-811

Weatherstrips

Part	Width	Length	Rolls / box	Thickness
675-111	1/2"	100'	24	1/16"
675-126	1"	100'	12	1/16"

Part	Width	Length	Rolls / box	Thickness
675-206	3/8"	50'	32	1/8"
675-211	1/2"	50'	24	1/8"
675-221	3/4"	50'	16	1/8"
675-226	1"	50'	12	1/8"
675-236	1-1/2"	50'	8	1/8"
675-241	2"	50'	6	1/8"

Part	Width	Length	Rolls / box	Thickness
675-306	3/8"	50'	32	3/16"
675-311	1/2"	50'	24	3/16"
675-321	3/4"	50'	16	3/16"
675-326	1"	50'	12	3/16"
675-336	1-1/2"	50'	8	3/16"

Part	Width	Length	Rolls / box	Thickness
675-406	3/8"	37,5'	32	1/4"
675-411	1/2"	37,5'	24	1/4"
675-421	3/4"	37,5'	16	1/4"
675-426	1"	37,5'	12	1/4"
675-436	1-1/2"	37,5'	8	1/4"
675-441	2"	37,5'	6	1/4"
675-451	3"	37,5'	4	1/4"

Part	Width	Length	Rolls / box	Thickness
675-521	3/4"	30'	16	5/16"
675-526	1"	30'	12	5/16"
675-536	1-1/2"	30'	8	5/16"

Part	Width	Length	Rolls / box	Thickness
675-611	1/2"	25'	24	3/8"
675-621	3/4"	25'	16	3/8"
675-626	1"	25'	12	3/8"
675-641	2"	25'	6	3/8"

Part	Width	Length	Rolls / box	Thickness
675-711	1/2"	25'	24	1/2"
675-726	1"	25'	16	1/2"
675-736	1-1/2"	25'	12	1/2"

Part	Width	Length	Rolls / box	Thickness
675-821	3/4"	12,5'	16	5/8"

Part	Width	Length	Rolls / box	Thickness
675-911	1/2"	12,5'	24	3/4"
675-921	3/4"	12,5'	16	3/4"
675-926	1"	12,5'	12	3/4"
675-936	1-1/2"	12,5'	8	3/4"



675-XXX Series
1 adhesive side, closed cell



Rubber bumpers

Part	Lenght	Width	Height	Holes Diameter	Center - Center
610-053	4-3/4"	3-1/16"	3-3/4"	1/2"	2-1/2"
610-127	6"	2-3/4"	3-1/4"	1/2"	2-1/2"
610-102	6"	4"	3-3/8"	1/2"	2-1/2"
610-046	7-3/4"	3"	3-1/4"	1/2"	3-5/16"
611-151	7-5/8"	2-1/4"	2"	3/8"	4-3/4"
610-007	7-7/8"	2-5/8"	2-1/4"	3/8"	4-1/2"
612-111	8-1/16"	5-1/2"	3-1/2"	1/2"	5-1/2"
610-092	8-3/8"	1-15/16"	1-15/16"	5-11/32"	5"
610-014	16"	2"	2"	3/8"	6-1/2"



Bumper stoppers

Part	External Diameter	Height	Hole	Specifications
607-101	1"	13/16"	1/8"	-
607-111	1"	1"	5/32"	-
607-341	2-1/2"	1"	3/8"	-
607-351	1-1/4"	1-7/8"	3/8"	-



Extrusions

Part	Lenght	Width	Height	Specifications
625-008	8"	4-1/2"	3-3/4"	-
625-012	12"	4-1/2"	3-3/4"	-
625-022	22"	4-1/2"	3-3/4"	-
625-096	96"	4-1/2"	3-3/4"	-
625-106	6"	4"	3-7/8"	2 holes 5/8", 3-1/8" C.-C.



Wheel Chocks

Part	Lenght	Width	Height	Specifications
612-131	8-1/2"	7-5/8"	5-5/8"	Rubber
612-141	9-1/2"	6-1/4"	7-1/4"	Rubber
612-161	9-1/4"	3-7/8"	3-3/4"	Rubber
612-501	8"	8-1/2"	15-1/4"	Aluminum
612-521	7-3/4"	8-1/2"	12"	Aluminum
612-541	7"	6-3/16"	12-1/8"	Aluminum
612-551	-	-	-	Holder for 612-501

Mud flaps

Part	Thickness	Width	Height
626-124	1/4"	24"	24"
626-130	1/4"	24"	30"
626-136	1/4"	24"	36"



626-124

Mud flap holders

Part	Finish	Specifications
626-001	Zinc	for 24" mud flap
626-003	Chrome	for 24" mud flap



626-00X

Floor mattings

Sold per yard (3 feet), 25 yards roll

Part	Thickness	Width	Grooves
680-501	1/8"	36"	Wide
680-506	1/8"	36"	Narrow
680-511	1/8"	48"	Wide
680-516	1/8"	48"	Narrow
680-521	1/4"	36"	Wide




Rainure large




Rainure étroite

Interlocking PVC Tiles

Part	Height	Width	Thickness
680-301	12"	12"	3/4"
680-331	12"	12"	9/16"



680-301



680-331

Anti-skid tapes with adhesive

Part	Width	Length	Adhesive
940-101	1"	60'	Ultra-resistant acrylic
940-102	2"	60'	Ultra-resistant acrylic
940-104	4"	60'	Ultra-resistant acrylic
940-106	6"	60'	Ultra-resistant acrylic
940-112	12"	60'	Ultra-resistant acrylic



940-101



940-106



940-112



901-151



901-161



901-201

Folding steps

Part	Finish	Specifications
901-151	Zingué	6-1/2" wide, 4" C.-C. holes
901-161	Galvanized	6-1/2" wide, 4" C.-C. holes
901-201	Aluminum	6-3/4" x 8-1/2", Chrome finish



707-101



707-121



707-151

Document holders

Part	Finish	Specifications
707-101	Aluminum	9" x 1-5/8" (tube), 5-3/4" x 4"
707-121	Aluminum	6" diameter
707-151	Plastic	8-1/2"W x 13-1/2"H x 1-1/2"D



905-101, 905-121



905-103, 905-123



905-106, 905-126



905-151

Roll-up door rollers

2-1/2" Size	6" Size	Finish
905-101	905-121	Yellow Zinc
905-103	905-123	Zinc
905-106	905-126	Nylon
905-151	-	Steel

Roll-up door cables

Galvanized	Stainless Steel	Length
905-210	905-310	110"
905-215	905-315	115"
905-220	905-320	120"
905-225	905-325	125"
905-230	905-330	130"



905-3XX



905-2XX

Placard holders


Part	Finish	Specifications
801-001	Aluminum	S/S offset clip - Regular
801-003	Aluminum	S/S offset clip - "Split"
801-021	White Alu.	S/S offset clip - Regular
801-023	White Alu.	S/S offset clip - "Split"
801-731	S/S	Offset clip only

Receptacle for neck fuel tank

Part	Finish	Specifications
707-201	S/S	6-3/16", 2-1/4"



801-001



801-003



707-201

Louvered vents

Part	Finish	Specifications
801-901	Aluminum	with shutter
801-906	Aluminum	without shutter
801-951	Aluminum	with screen, 1"
801-952	Aluminum	with screen, 1-1/2"
801-953	Aluminum	with screen, 2"
801-954	Aluminum	with screen, 2-1/2"
801-955	Aluminum	with screen, 3"
801-956	Aluminum	with screen, 4"
801-957	Aluminum	with screen, 6"



801-95X



801-90X

Flettner Ventilators

Part	Finish	Specifications
750-001	Plastic	Flettner TCX-2 - black
750-006	Plastic	Flettner TCX-2 - narrow base - black
750-021	Plastic	Flettner TCX-2 - white
750-041	Plastic	Adaptor for Flettner TCX
750-101	Plastic	Flettner 2000 - black
750-141	Plastic	Adaptor for Flettner 2000



750-001



750-101

Air vents

Part	Finish	Specifications
752-101	Aluminum	Finish trim - plastic
752-201	Aluminum	Low profile
752-211	Aluminum	Black plastic handle



752-101

Heaters 12V

Part	Length	Width	Height	Specifications
805-462	8.25"	8.16"	8.60"	5.8A, 21 000 BTU, bottom connection
805-504	19.17"	7.50"	8.25"	11.6A, 42 000 BTU, rear connection
805-529	19.17"	7.50"	8.25"	11.6A, 42 000 BTU, bottom connection



805-462




805-504



805-529

Aluminum 5056 blind rivets

Steel mandrel, open end




Part	D	Grip Range	L
501-602	3/16" (4.8 mm)	0.020" - 0.125" (0.5mm - 3.2mm)	0.476" (12.1 mm)
501-603	3/16" (4.8 mm)	0.126" - 0.189" (3.2mm - 4.8mm)	0.539" (13.7 mm)
501-604	3/16" (4.8 mm)	0.190" - 0.250" (4.8mm - 6.4mm)	0.598" (15.2 mm)
501-606	3/16" (4.8 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.724" (18.4 mm)
501-608	3/16" (4.8 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.850" (21.6 mm)
501-610	3/16" (4.8 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	0.976" (24.8 mm)
501-612	3/16" (4.8 mm)	0.626" - 0.750" (15.9mm - 19.1mm)	1.098" (27.9 mm)
501-614	3/16" (4.8 mm)	0.751" - 0.875" (19.1mm - 22.2mm)	1.228" (31.2 mm)
501-616	3/16" (4.8 mm)	0.876" - 1.000" (22.2mm - 25.4mm)	1.350" (34.3 mm)
501-618	3/16" (4.8 mm)	1.000" - 1.125" (25.4mm - 28.6mm)	1.476" (37.5 mm)
501-802	1/4" (6.4 mm)	0.020" - 0.125" (0.5mm - 3.2mm)	0.571" (14.5 mm)
501-804	1/4" (6.4 mm)	0.126" - 0.250" (3.2mm - 6.4mm)	0.728" (18.5 mm)
501-806	1/4" (6.4 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.854" (21.7 mm)
501-808	1/4" (6.4 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.980" (24.9 mm)
501-810	1/4" (6.4 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	1.102" (28.0 mm)
501-812	1/4" (6.4 mm)	0.626" - 0.750" (15.9mm - 19.1mm)	1.228" (31.2 mm)
501-814	1/4" (6.4 mm)	0.751" - 0.875" (19.1mm - 22.2mm)	1.354" (34.4 mm)
501-816	1/4" (6.4 mm)	0.876" - 1.000" (22.2mm - 25.4mm)	1.480" (37.6 mm)

Aluminum 5056 blind rivets

Steel mandrel, large open end

Part	D	Grip Range	L
505-603	3/16" (3.2 mm)	0.126" - 0.125" (3.2mm - 4.8mm)	0.539" (13.7 mm)
505-604	3/16" (3.2 mm)	0.190" - 0.250" (4.8mm - 6.4mm)	0.598" (15.2 mm)
505-606	3/16" (3.2 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.724" (18.4 mm)
505-608	3/16" (3.2 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.850" (21.6 mm)
505-610	3/16" (3.2 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	0.976" (24.8 mm)
505-612	3/16" (3.2 mm)	0.626" - 0.750" (15.9mm - 19.1mm)	1.098" (27.9 mm)
505-614	3/16" (3.2 mm)	0.751" - 0.875" (19.1mm - 22.2mm)	1.228" (31.2 mm)
505-616	3/16" (3.2 mm)	0.876" - 1.000" (22.2mm - 25.4mm)	1.350" (34.3 mm)
505-618	3/16" (3.2 mm)	1.000" - 1.125" (25.4mm - 28.6mm)	1.476" (37.5 mm)



Aluminum 5056 blind rivets


Steel mandrel, end hollow

Part	D	Grip Range	L
506-602	3/16" (4.8 mm)	0.062" - 0.125" (1.6mm - 3.2mm)	0.346" (8.8 mm)
506-603	3/16" (4.8 mm)	0.126" - 0.189" (3.2mm - 4.8mm)	0.465" (11.8 mm)
506-604	3/16" (4.8 mm)	0.190" - 0.250" (4.8mm - 6.4mm)	0.531" (13.5 mm)
506-606	3/16" (4.8 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.602" (15.3 mm)
506-608	3/16" (4.8 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.720" (18.3 mm)
506-610	3/16" (4.8 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	0.839" (21.3 mm)
506-612	3/16" (4.8 mm)	0.626" - 0.750" (15.9mm - 19.1mm)	0.976" (24.8 mm)
506-802	1/4" (6.4 mm)	0.062" - 0.125" (1.6mm - 3.2mm)	0.406" (10.3 mm)
506-804	1/4" (6.4 mm)	0.126" - 0.250" (3.2mm - 6.4mm)	0.531" (13.5 mm)
506-806	1/4" (6.4 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.661" (16.8 mm)
506-808	1/4" (6.4 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.780" (19.8 mm)
506-810	1/4" (6.4 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	0.917" (23.3 mm)

Aluminum 5052 blind rivets

Aluminum alloy mandrel, open end

Part	D	Grip Range	L
511-602	3/16" (4.8 mm)	0.020" - 0.125" (0.5mm - 3.2mm)	0.476" (12.1 mm)
511-603	3/16" (4.8 mm)	0.126" - 0.189" (3.2mm - 4.8mm)	0.539" (13.7 mm)
511-604	3/16" (4.8 mm)	0.190" - 0.250" (4.8mm - 6.4mm)	0.598" (15.2 mm)
511-606	3/16" (4.8 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.724" (18.4 mm)
511-608	3/16" (4.8 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.850" (21.6 mm)
511-610	3/16" (4.8 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	0.976" (24.8 mm)
511-612	3/16" (4.8 mm)	0.626" - 0.750" (15.9mm - 19.1mm)	1.098" (27.9 mm)
511-614	3/16" (4.8 mm)	0.751" - 0.875" (19.1mm - 22.2mm)	1.228" (31.2 mm)
511-616	3/16" (4.8 mm)	0.876" - 1.000" (22.2mm - 25.4mm)	1.350" (34.3 mm)
511-618	3/16" (4.8 mm)	1.000" - 1.125" (25.4mm - 28.6mm)	1.476" (37.5 mm)
511-802	1/4" (6.4 mm)	0.020" - 0.125" (0.5mm - 3.2mm)	0.571" (14.5 mm)
511-804	1/4" (6.4 mm)	0.126" - 0.250" (3.2mm - 6.4mm)	0.728" (18.5 mm)
511-806	1/4" (6.4 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.854" (21.7 mm)
511-808	1/4" (6.4 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.980" (24.9 mm)
511-810	1/4" (6.4 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	1.102" (28.0 mm)
511-812	1/4" (6.4 mm)	0.626" - 0.750" (15.9mm - 19.1mm)	1.228" (31.2 mm)
511-814	1/4" (6.4 mm)	0.751" - 0.875" (19.1mm - 22.2mm)	1.354" (34.4 mm)
511-816	1/4" (6.4 mm)	0.876" - 1.000" (22.2mm - 25.4mm)	1.480" (37.6 mm)




Aluminum 5052 blind rivets

Aluminum alloy mandrel, large open end

Part	D	Grip Range	L
515-603	3/16" (3.2 mm)	0.126" - 0.125" (3.2mm - 4.8mm)	0.539" (13.7 mm)
515-604	3/16" (3.2 mm)	0.190" - 0.250" (4.8mm - 6.4mm)	0.598" (15.2 mm)
515-606	3/16" (3.2 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.724" (18.4 mm)
515-608	3/16" (3.2 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.850" (21.6 mm)
515-610	3/16" (3.2 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	0.976" (24.8 mm)
515-612	3/16" (3.2 mm)	0.626" - 0.750" (15.9mm - 19.1mm)	1.098" (27.9 mm)
515-614	3/16" (3.2 mm)	0.751" - 0.875" (19.1mm - 22.2mm)	1.228" (31.2 mm)
515-616	3/16" (3.2 mm)	0.876" - 1.000" (22.2mm - 25.4mm)	1.350" (34.3 mm)
515-618	3/16" (3.2 mm)	1.000" - 1.125" (25.4mm - 28.6mm)	1.476" (37.5 mm)

Stainless steel blind rivets

Carbon steel mandrel, open end



Part	D	Grip Range	L
521-602	3/16" (4.8 mm)	0.020" - 0.125" (0.5mm - 3.2mm)	0.476" (12.1 mm)
521-603	3/16" (4.8 mm)	0.126" - 0.189" (3.2mm - 4.8mm)	0.539" (13.7 mm)
521-604	3/16" (4.8 mm)	0.190" - 0.250" (4.8mm - 6.4mm)	0.598" (15.2 mm)
521-606	3/16" (4.8 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.724" (18.4 mm)
521-608	3/16" (4.8 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.850" (21.6 mm)
521-610	3/16" (4.8 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	0.976" (24.8 mm)
521-612	3/16" (4.8 mm)	0.626" - 0.750" (15.9mm - 19.1mm)	1.098" (27.9 mm)
521-614	3/16" (4.8 mm)	0.751" - 0.875" (19.1mm - 22.2mm)	1.228" (31.2 mm)
521-802	1/4" (6.4 mm)	0.020" - 0.125" (0.5mm - 3.2mm)	0.571" (14.5 mm)
521-804	1/4" (6.4 mm)	0.126" - 0.250" (3.2mm - 6.4mm)	0.728" (18.5 mm)
521-806	1/4" (6.4 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.854" (21.7 mm)
521-808	1/4" (6.4 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.980" (24.9 mm)
521-810	1/4" (6.4 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	1.102" (28.0 mm)

Stainless steel blind rivets


S/S mandrel, open end

Part	D	Grip Range	L
531-602	3/16" (4.8 mm)	0.020" - 0.125" (0.5mm - 3.2mm)	0.476" (12.1 mm)
531-603	3/16" (4.8 mm)	0.126" - 0.189" (3.2mm - 4.8mm)	0.539" (13.7 mm)
531-604	3/16" (4.8 mm)	0.190" - 0.250" (4.8mm - 6.4mm)	0.598" (15.2 mm)
531-606	3/16" (4.8 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.724" (18.4 mm)
531-608	3/16" (4.8 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.850" (21.6 mm)
531-610	3/16" (4.8 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	0.976" (24.8 mm)
531-612	3/16" (4.8 mm)	0.626" - 0.750" (15.9mm - 19.1mm)	1.098" (27.9 mm)
531-614	3/16" (4.8 mm)	0.751" - 0.875" (19.1mm - 22.2mm)	1.228" (31.2 mm)
531-802	1/4" (6.4 mm)	0.020" - 0.125" (0.5mm - 3.2mm)	0.571" (14.5 mm)
531-804	1/4" (6.4 mm)	0.126" - 0.250" (3.2mm - 6.4mm)	0.728" (18.5 mm)
531-806	1/4" (6.4 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.854" (21.7 mm)
531-808	1/4" (6.4 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.980" (24.9 mm)
531-810	1/4" (6.4 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	1.102" (28.0 mm)

Carbon steel blind rivets

Carbon steel mandrel, open end

Part	D	Grip Range	L
541-602	3/16" (4.8 mm)	0.020" - 0.125" (0.5mm - 3.2mm)	0.476" (12.1 mm)
541-603	3/16" (4.8 mm)	0.126" - 0.189" (3.2mm - 4.8mm)	0.539" (13.7 mm)
541-604	3/16" (4.8 mm)	0.190" - 0.250" (4.8mm - 6.4mm)	0.598" (15.2 mm)
541-606	3/16" (4.8 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.724" (18.4 mm)
541-608	3/16" (4.8 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.850" (21.6 mm)
541-610	3/16" (4.8 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	0.976" (24.8 mm)
541-612	3/16" (4.8 mm)	0.626" - 0.750" (15.9mm - 19.1mm)	1.098" (27.9 mm)
541-614	3/16" (4.8 mm)	0.751" - 0.875" (19.1mm - 22.2mm)	1.228" (31.2 mm)
541-616	3/16" (4.8 mm)	0.876" - 1.000" (22.2mm - 25.4mm)	1.350" (34.3 mm)
541-618	3/16" (4.8 mm)	1.000" - 1.125" (25.4mm - 28.6mm)	1.476" (37.5 mm)
541-802	1/4" (6.4 mm)	0.020" - 0.125" (0.5mm - 3.2mm)	0.571" (14.5 mm)
541-804	1/4" (6.4 mm)	0.126" - 0.250" (3.2mm - 6.4mm)	0.728" (18.5 mm)
541-806	1/4" (6.4 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.854" (21.7 mm)
541-808	1/4" (6.4 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.980" (24.9 mm)
541-810	1/4" (6.4 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	1.102" (28.0 mm)
541-812	1/4" (6.4 mm)	0.626" - 0.750" (15.9mm - 19.1mm)	1.228" (31.2 mm)
541-814	1/4" (6.4 mm)	0.751" - 0.875" (19.1mm - 22.2mm)	1.354" (34.4 mm)
541-816	1/4" (6.4 mm)	0.876" - 1.000" (22.2mm - 25.4mm)	1.480" (37.6 mm)



Carbon steel blind rivets

Carbon steel mandrel, large open end


Part	D	Grip Range	L
545-603	3/16" (3.2 mm)	0.126" - 0.125" (3.2mm - 4.8mm)	0.539" (13.7 mm)
545-604	3/16" (3.2 mm)	0.190" - 0.250" (4.8mm - 6.4mm)	0.598" (15.2 mm)
545-606	3/16" (3.2 mm)	0.251" - 0.375" (6.4mm - 9.5mm)	0.724" (18.4 mm)
545-608	3/16" (3.2 mm)	0.376" - 0.500" (9.5mm - 12.7mm)	0.850" (21.6 mm)
545-610	3/16" (3.2 mm)	0.501" - 0.625" (12.7mm - 15.9mm)	0.976" (24.8 mm)
545-612	3/16" (3.2 mm)	0.626" - 0.750" (15.9mm - 19.1mm)	1.098" (27.9 mm)
545-614	3/16" (3.2 mm)	0.751" - 0.875" (19.1mm - 22.2mm)	1.228" (31.2 mm)
545-616	3/16" (3.2 mm)	0.876" - 1.000" (22.2mm - 25.4mm)	1.350" (34.3 mm)
545-618	3/16" (3.2 mm)	1.000" - 1.125" (25.4mm - 28.6mm)	1.476" (37.5 mm)



551-604



555-101



906-000

Rivets

Part	Diameter	Grip Range	Material
551-604	3/16" (4.8 mm)	0.062"-0.270" (1.6mm - 6.9mm)	Steel
551-607	3/16" (4.8 mm)	0.214"-0.437" (5.4mm - 11.1mm)	Steel
551-806	1/4" (6.4 mm)	0.080"-0.375" (2.0mm - 9.5mm)	Steel
551-810	1/4" (6.4 mm)	0.350"-0.625" (8.9mm - 15.9mm)	Steel

Part	Diameter	Grip Range	Material
552-604	3/16" (4.8 mm)	0.062"-0.270" (1.6mm - 6.9mm)	Aluminum
552-607	3/16" (4.8 mm)	0.214"-0.437" (5.4mm - 11.1mm)	Aluminum
552-806	1/4" (6.4 mm)	0.080"-0.375" (2.0mm - 9.5mm)	Aluminum
552-810	1/4" (6.4 mm)	0.350"-0.625" (8.9mm - 15.9mm)	Aluminum

Part	Diameter	Grip Range	Material
553-604	3/16" (4.8 mm)	0.062"-0.270" (1.6mm - 6.9mm)	S/S
553-607	3/16" (4.8 mm)	0.214"-0.437" (5.4mm - 11.1mm)	S/S
553-806	1/4" (6.4 mm)	0.080"-0.375" (2.0mm - 9.5mm)	S/S
553-810	1/4" (6.4 mm)	0.350"-0.625" (8.9mm - 15.9mm)	S/S

Threaded inserts

Part	Thread	Grip Range	Material
555-101	1/4-20 UNC	0.027"-0.165" (0.7mm - 4.2mm)	Steel
555-106	1/4-20 UNC	0.165"-0.260" (4.2mm - 6.6mm)	Steel
555-111	5/16-18 UNC	0.027"-0.150" (0.7mm - 3.8mm)	Steel
555-116	5/16-18 UNC	0.150"-0.312" (3.8mm - 7.9mm)	Steel
555-121	3/8-16 UNC	0.027"-0.150" (0.7mm - 3.8mm)	Steel

Threaded U-bolts

Part	A	B	C	D
906-010	5/8"	3-1/2"	10"	6"
906-012	5/8"	3-1/2"	12"	6"
906-014	5/8"	3-1/2"	14"	6"
906-016	5/8"	3-1/2"	16"	6"
906-018	5/8"	3-1/2"	18"	6"
906-020	5/8"	3-1/2"	20"	6"
906-022	5/8"	3-1/2"	22"	6"

Threaded straight rods

Part	A	Length	D
906-185	5/8"	18-1/2"	3-1/2"
906-205	5/8"	20-1/2"	3-1/2"
906-225	5/8"	22-1/2"	3-1/2"
906-245	5/8"	24-1/2"	3-1/2"
906-265	5/8"	26-1/2"	3-1/2"
906-285	5/8"	28-1/2"	3-1/2"
906-305	5/8"	30-1/2"	3-1/2"
906-325	5/8"	32-1/2"	3-1/2"
906-345	5/8"	34-1/2"	3-1/2"
906-365	5/8"	36-1/2"	3-1/2"
906-385	5/8"	38-1/2"	3-1/2"
906-405	5/8"	40-1/2"	3-1/2"
906-425	5/8"	42-1/2"	3-1/2"
906-445	5/8"	44-1/2"	3-1/2"
906-465	5/8"	46-1/2"	3-1/2"

Tie plate

Part	Specifications
906-000	6" x 1-1/2" x 1/2"

Part	Page	Part	Page	Part	Page	Part	Page	Part	Page	Part	Page
118-124	1	202-255	17	213-205	14	220-509	13	222-804	10	224-926	6
118-136	1	202-257	17	213-301	14	220-801	12	222-805	10	225-101	2
118-148	1	202-261	17	213-303	14	220-806	12	222-806	10	225-102	2
118-160	1	202-265	17	215-101	15	220-821	12	222-807	10	225-103	2
118-236	1	202-301	17	215-104	15	220-901	13	222-808	10	225-191	2
118-248	1	202-601	18	215-109	15	220-905	13	222-809	10	225-201	2
118-260	1	203-001	14	215-112	15	220-911	13	222-810	10	225-202	2
118-436	1	203-201	14	215-117	15	221-101	11	222-930	9	225-203	2
118-448	1	203-251	14	215-120	15	221-106	11	222-931	9	225-291	2
118-460	1	203-261	14	215-125	15	221-186	11	222-932	9	225-301	5
118-536	1	203-271	14	215-128	15	221-196	11	222-935	9	225-401	3
118-548	1	203-283	14	215-133	15	221-201	11	222-936	9	225-491	3
118-560	1	203-701	14	215-136	15	221-203	11	222-937	9	225-501	3
124-124	1	203-706	14	215-141	15	221-211	11	222-940	9	225-502	3
124-136	1	203-801	20	215-217	15	221-301	11	222-941	9	225-503	3
124-148	1	203-806	20	215-220	15	221-311	11	222-942	9	225-521	3
124-160	1	203-821	20	215-225	15	221-521	12	222-945	9	225-522	3
124-172	1	204-108	18	215-228	15	221-708	11	222-946	9	225-523	3
124-236	1	204-112	18	215-233	15	221-851	11	222-947	9	225-591	3
124-248	1	204-116	18	215-236	15	221-901	12	222-951	9	225-596	3
124-260	1	204-308	18	215-241	15	221-911	12	222-952	9	225-701	5
124-272	1	204-312	18	216-101	15	222-051	10	222-953	9	225-791	5
128-012	1	204-316	18	216-104	15	222-111	9	222-954	9	225-819	5
128-018	1	204-404	18	216-109	15	222-115	9	222-955	9	225-851	5
128-024	1	204-412	18	216-112	15	222-121	9	222-956	9	225-853	5
130-136	1	204-418	18	216-117	15	222-123	9	222-957	9	225-855	5
130-148	1	204-508	17	216-120	15	222-125	9	222-985	10	225-951	2
130-160	1	204-728	18	216-125	15	222-201	10	222-987	10	225-951	3
130-172	1	204-801	17	216-128	15	222-203	10	223-001	8	225-955	3
130-236	1	204-806	17	216-133	15	222-205	10	223-101	13	225-961	2
130-248	1	204-821	17	216-136	15	222-207	10	223-103	13	225-965	2
130-260	1	204-826	17	216-141	15	222-209	10	223-105	13	226-001	4
130-272	1	204-841	17	216-217	15	222-211	10	223-111	13	226-002	4
136-124	1	204-846	17	216-220	15	222-213	10	223-121	13	226-003	4
136-136	1	204-901	18	216-225	15	222-215	10	223-201	13	226-101	4
136-148	1	210-105	14	216-228	15	222-217	10	223-203	13	226-102	4
136-160	1	210-111	14	216-233	15	222-219	10	223-205	13	226-103	4
136-172	1	210-201	14	216-236	15	222-221	10	223-207	13	226-191	4
136-236	1	210-203	14	216-241	15	222-223	10	223-221	13	226-195	4
136-248	1	210-205	14	218-109	15	222-225	10	223-351	8	226-199	4
136-260	1	210-207	14	218-117	15	222-227	10	224-401	8	226-406	4
136-272	1	210-301	14	218-120	15	222-451	10	224-406	8	226-451	4
202-120	17	210-303	14	218-125	15	222-581	9	224-411	8	226-452	4
202-201	8	210-501	14	218-133	15	222-583	10	224-416	8	226-453	4
202-211	17	212-101	14	218-136	15	222-585	10	224-457	5	226-751	6
202-216	18	212-201	14	218-141	15	222-589	9	224-481	8	226-771	6
202-221	17	212-303	14	218-217	15	222-621	7	224-491	8	227-216	4
202-231	17	213-101	14	218-220	15	222-641	7	224-601	8	227-221	4
202-241	17	213-103	14	220-501	13	222-801	10	224-606	8	227-226	4
202-251	17	213-105	14	220-503	13	222-802	10	224-801	6	227-236	4
202-253	17	213-201	14	220-507	13	222-803	10	224-921	6	227-241	4

Part	Page	Part	Page	Part	Page	Part	Page	Part	Page	Part	Page
227-246	4	235-702	3	251-141	22	289-060	23	323-210	21	323-636	21
227-951	4	235-703	3	251-145	22	289-090	23	323-212	21	323-648	21
227-957	4	235-704	3	251-148	22	289-120	23	323-214	21	400-101	27
228-201	8	235-705	3	251-151	22	291-050	23	323-216	21	400-109	27
228-206	8	237-101	2	251-161	22	291-075	23	323-218	21	410-021	19
228-421	7	237-111	2	251-171	22	291-100	23	323-220	21	410-091	19
228-423	7	237-121	2	251-181	22	291-150	23	323-222	21	410-101	19
228-425	7	237-131	2	251-201	22	291-200	23	323-224	21	410-106	19
228-431	7	240-101	19	251-206	22	291-250	23	323-310	21	410-111	19
228-441	7	240-103	19	251-211	22	293-020	23	323-312	21	410-121	19
228-451	7	240-106	19	251-216	22	293-030	23	323-314	21	410-131	19
228-461	7	240-111	19	251-221	22	293-060	23	323-316	21	410-201	19
228-481	7	240-121	19	251-226	22	293-100	23	323-318	21	410-203	19
228-483	7	240-151	19	251-231	22	295-087	23	323-320	21	410-205	19
228-491	7	240-201	20	251-236	22	295-120	23	323-322	21	410-207	19
229-106	12	240-221	20	251-241	22	297-050	23	323-324	21	410-211	19
229-121	12	240-306	19	251-243	22	297-075	23	323-326	21	410-306	20
230-101	6	240-351	6	251-311	22	297-100	23	323-328	21	410-321	20
230-201	6	240-353	6	251-321	22	297-150	23	323-330	21	413-171	26
230-201	6	240-361	6	251-351	22	297-200	23	323-332	21	413-173	26
230-221	6	241-101	19	251-401	22	297-250	23	323-334	21	413-175	26
230-301	6	241-401	19	251-501	22	298-056	23	323-336	21	413-177	26
230-311	6	242-101	19	254-151	22	298-079	23	323-508	21	413-179	26
230-321	6	242-106	19	254-501	22	298-090	23	323-510	21	413-181	26
230-501	6	242-111	19	254-506	22	298-203	23	323-512	21	413-183	26
230-511	6	242-116	19	260-101	24	299-001	24	323-514	21	413-185	26
230-511	6	242-131	19	260-151	24	299-011	24	323-516	21	413-187	26
230-521	13	242-136	19	261-108	24	299-013	24	323-518	21	413-191	25
230-531	2	242-141	19	261-110	24	299-015	24	323-520	21	413-193	25
230-531	3	242-151	19	261-112	24	299-017	24	323-522	21	413-201	25
235-101	2	242-181	19	261-116	24	299-036	24	323-524	21	413-203	25
235-102	2	242-191	19	261-118	24	299-041	24	323-526	21	413-205	25
235-103	2	243-101	20	281-022	23	299-101	24	323-528	21	413-209	25
235-104	2	243-106	20	281-050	23	299-111	24	323-530	21	413-211	25
235-105	2	243-111	20	281-100	23	299-118	24	323-532	21	413-213	25
235-201	4	243-116	20	283-013	23	299-121	24	323-534	21	413-215	25
235-202	4	243-121	20	283-035	23	299-131	24	323-536	21	413-217	25
235-203	4	243-126	20	283-065	23	299-141	24	323-538	21	413-219	25
235-204	4	243-131	20	283-100	23	299-146	24	323-540	21	413-221	25
235-205	4	243-136	20	285-013	23	299-151	24	323-542	21	413-223	25
235-301	5	243-141	20	285-030	23	299-166	24	323-548	21	413-225	25
235-302	5	243-146	20	285-060	23	323-110	21	323-560	21	413-227	25
235-303	5	243-161	20	285-090	23	323-112	21	323-612	21	413-229	25
235-304	5	243-166	20	285-120	23	323-114	21	323-614	21	413-260	25
235-305	5	243-171	20	287-035	23	323-116	21	323-616	21	413-261	25
235-306	5	243-176	20	287-045	23	323-118	21	323-618	21	413-262	25
235-307	5	243-191	20	287-060	23	323-120	21	323-620	21	413-263	25
235-308	5	243-196	20	287-080	23	323-122	21	323-622	21	413-264	25
235-309	5	251-111	22	287-097	23	323-124	21	323-624	21	413-265	25
235-310	5	251-121	22	287-135	23	323-126	21	323-626	21	413-266	25
235-701	3	251-131	22	289-030	23	323-128	21	323-628	21	413-267	25

Part	Page	Part	Page	Part	Page	Part	Page	Pièce	Page	Part	Page
413-270	25	414-529	26	501-804	35	515-612	36	545-608	38	590-261	28
413-271	25	414-531	26	501-806	35	515-614	36	545-610	38	590-266	28
413-272	25	414-533	26	501-808	35	515-616	36	545-612	38	590-361	28
413-273	25	414-535	26	501-810	35	515-618	36	545-614	38	607-101	31
413-274	25	414-537	26	501-812	35	521-602	37	545-616	38	607-111	31
413-275	25	414-539	26	501-814	35	521-603	37	545-618	38	607-341	31
413-276	25	414-541	26	501-816	35	521-604	37	551-604	39	607-351	31
413-277	25	414-543	26	505-603	35	521-606	37	551-607	39	610-007	31
413-280	25	414-545	26	505-604	35	521-608	37	551-806	39	610-014	31
413-281	25	414-547	26	505-606	35	521-610	37	551-810	39	610-046	31
413-282	25	414-549	26	505-608	35	521-612	37	552-604	39	610-053	31
413-283	25	418-101	27	505-610	35	521-614	37	552-607	39	610-092	31
413-284	25	418-102	27	505-612	35	521-802	37	552-806	39	610-102	31
413-285	25	418-103	27	505-614	35	521-804	37	552-810	39	610-111	31
413-286	25	418-104	27	505-616	35	521-806	37	553-604	39	610-127	31
413-287	25	418-105	27	505-618	35	521-808	37	553-607	39	611-151	31
413-291	25	418-111	27	506-602	35	521-810	37	553-806	39	612-131	31
413-293	25	418-112	27	506-603	35	531-602	37	553-810	39	612-141	31
413-295	25	418-113	27	506-604	35	531-603	37	555-101	39	612-161	31
413-299	25	418-114	27	506-606	35	531-604	37	555-106	39	612-501	31
413-400	26	418-121	27	506-608	35	531-606	37	555-111	39	612-521	31
413-401	26	418-122	27	506-610	35	531-608	37	555-116	39	612-541	31
413-403	26	418-123	27	506-612	35	531-610	37	555-121	39	612-551	31
413-405	26	418-124	27	506-802	35	531-612	37	575-216	28	625-008	31
413-409	26	418-125	27	506-804	35	531-614	37	575-251	28	625-012	31
413-421	26	418-126	27	506-806	35	531-802	37	575-252	28	625-022	31
413-423	26	418-131	27	506-808	35	531-804	37	575-253	28	625-096	31
413-425	26	418-132	27	506-810	35	531-806	37	575-501	28	625-106	31
413-427	26	418-134	27	511-602	36	531-808	37	575-502	28	626-001	32
413-429	26	418-135	27	511-603	36	531-810	37	575-503	28	626-003	32
413-433	26	418-136	27	511-604	36	541-602	38	575-651	28	626-124	32
413-435	26	418-137	27	511-606	36	541-603	38	575-652	28	626-130	32
413-437	26	418-138	27	511-608	36	541-604	38	575-653	28	626-136	32
413-439	26	418-139	27	511-610	36	541-606	38	575-731	28	652-101	29
413-441	26	465-100	20	511-612	36	541-608	38	575-732	28	652-201	29
413-443	26	465-109	20	511-614	36	541-610	38	575-733	28	652-601	29
413-445	26	465-115	20	511-616	36	541-612	38	575-735	28	652-806	29
414-501	26	465-121	20	511-618	36	541-614	38	575-751	28	652-811	29
414-503	26	465-131	20	511-802	36	541-616	38	575-752	28	653-101	29
414-505	26	465-141	20	511-804	36	541-618	38	575-753	28	653-111	29
414-507	26	501-602	35	511-806	36	541-802	38	575-754	28	653-121	29
414-509	26	501-603	35	511-808	36	541-804	38	575-758	28	653-141	29
414-511	26	501-604	35	511-810	36	541-806	38	580-122	28	675-111	30
414-513	26	501-606	35	511-812	36	541-808	38	590-101	28	675-126	30
414-515	26	501-608	35	511-814	36	541-810	38	590-106	28	675-206	30
414-517	26	501-610	35	511-816	36	541-812	38	590-201	28	675-211	30
414-519	26	501-612	35	515-603	36	541-814	38	590-206	28	675-221	30
414-521	26	501-614	35	515-604	36	541-816	38	590-211	28	675-226	30
414-523	26	501-616	35	515-606	36	545-603	38	590-216	28	675-236	30
414-525	26	501-618	35	515-608	36	545-604	38	590-251	28	675-241	30
414-527	26	501-802	35	515-610	36	545-606	38	590-256	28	675-306	30

NOTES


Find the Jimexs family logos for exceptionnal quality products



To find out about our new products, don't hesitate
to visit our website

www.jimexs.com





INTERNATIONAL

JIMEXS inc.

1360, Louis-Marchand
Beloeil, Qc,
Canada J3G 6S3

T: 1-866-447-5656 / (450) 464-9999

F: 1-866-447-5625 / (450) 464-9992

E: info@jimexs.com

www.jimexs.com

©Copyright Jimexs inc. (JX-15)